

Muhammad Talha Maaz

Lab 01

Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Document</title>

  <style>
    a{
      display: block;
      font-size: 30px;
      background-color: pink;
    }

    .grid{
      display: grid;
      grid-template-columns: 1fr 1fr 1fr;

      row-gap: 50px;
      column-gap: 50px;
      margin-top: 50px;
```

```
}

.product{
  border: 2px solid orange;
  display: flex;
  flex-direction: column;
  justify-content: center;
  align-items: center;
}

.Search{
  width: 100%; height: 70px; border: 2px solid
black; margin-bottom: 50px;

}
</style>
</head>
<body>
  <div>
    <input type="text" value="Search" class="Search">
  </div>

  <a href="form.html">Signup</a>
  <a href="signin.html">Signin</a>
  <a href="cart.html">cart</a>

  <a href="catalog-update.html">update catalog</a>

  <div class="grid">

    <div class="product">
```

```
    <p>Table</p>
    <p>250$</p>
    <img>
    <p>This is a table</p>
    <button>add to card</button>
</div>
<div class="product">
    <p>chair</p>
    <p>200$</p>
    <img>
    <p>This is a chair</p>
    <button>add to card</button>
</div>
<div class="product">
    <p>desk</p>
    <p>2000$</p>
    <img>
    <p>This is a desk</p>
    <button>add to card</button>
</div>
<div class="product">
    <p>laptop</p>
    <p>1500$</p>
    <img>
    <p>This is a computer</p>
    <button>add to card</button>
</div>
</div>
</body>
</html>
```

Form.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Document</title>

  <style>
    input{
      width: 100%;
      margin-bottom: 20px;
    }
    .Search{
      width: 100%; height: 70px; border: 2px solid
black; margin-bottom: 50px;

    }
  </style>
</head>
<body>
<div>
  <input type="text" value="Search" class="Search">
</div>

<div>
<form class="form">
  <fieldset style="width: 500px;">
  <legend>Signup</legend>
  <label>Enter Your full name</label>
```

```
    <input type="text">
    <label>Enter Your email</label>
    <input type="text">
    <label>Enter Your password</label>
    <input type="text">
    <label>Confirm your password</label>
    <input type="text">
    <label>Enter Your Address</label>
    <input type="text">
    <button>Signup</button>
  </fieldset>
</form>
</div>

<a href="home.html">Home</a>
</body>
</html>
```

Signin.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Document</title>
</head>
<style>
  label , input{
```

```
    display: block;
  }

  input{
    margin-bottom: 50px;
  }

  form{
    width: 500px;
    display: flex;
    justify-content: center;
    align-items: center;

  }
</style>
<body>
  <form>
    <fieldset>
      <label for="Email">please enter email</label>
      <input type="email" name="Email" id="email"
required>
      <label for="password"> please enter
password</label>
      <input type="password" name="password"
id="password" required>
      <button>Sign IN</button>
    </fieldset>
  </form>

</body>
</html>
```

Checkout.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Document</title>

  <style>
    div{
      width: 400px;
      border: 2px solid black;
    }
    a{
      display: block;
    }
  </style>
</head>
<body>

  <div >
    <p>payment method</p>
    <input type="radio"> <label >jazzcash</label>
    <input type="radio"><label >bank account</label>
    <input type="radio"><label>cash on
delivery</label>

    <p>total=400$</p>
    <button>order</button>
```

```
</div>
<a href="home.html">Home</a>
<a href="cart.html">cart</a>

</body>
</html>
```

Catalog-update.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Document</title>
  <style>
    label{
      display: block;
    }
    input{
      width: 100%;
      margin-bottom: 20px;
    }
  </style>
</head>
<body>

  <form style="width: 400px;">
    <fieldset>
      <legend>catalog-update</legend>
```

```
        <label for="product-name">product-name</label>
        <input type="text">
        <label for="price">price</label>
        <input type="text">
        <label for="description">description</label>
        <input type="text">
        <button>upload</button>

    </fieldset>
</form>

<a href="home.html">Home</a>

</body>
</html>
```

Cart.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,
initial-scale=1.0">
    <title>Document</title>
</head>
<body>

    <div style="width: 400px; border: 2px solid orange;">
        <p>Table x1 250$</p>
```

```
    <a href="checkout.html">checkout</a>
</div>

<div class="product-recommendation" style="width:
400px; border: 2px solid pink;margin-top: 100px;">
    <p>People who bought a <strong>table</strong> also
bought a <strong>Chair</strong></p>

</div>

<a href="home.html">Home</a>

</body>
</html>
```

Button.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,
initial-scale=1.0">
    <title>Document</title>
</head>
<body>

    <input type="submit">
```

```
</body>  
</html>
```